

GENERAL INFORMATION

DESCRIPTION

Rizolex® 50WP is a fungicide for control of soil borne diseases in Lilies. The soil borne diseases include those caused by *Rhizoctonia* spp such as Grey bulb rot and Damping off in Lilies and those caused by *Scelerotinia* spp such as Crown rot in Lilies.

MODE OF ACTION.

Rizolex® 50WP is a non-systemic, contact fungicide. It is fungitoxic to mycelia and sclerotia. Rizolex® 50WP is both preventative and curative.

DIRECTIONS FOR USE.

Rizolex® 50WP is applied as soil drench, soil incorporated, bulb powdering or through bulb dipping.

Crops	Target diseases	Application methods and rates
Lilies	<i>Rhizoctonia</i> spp (grey bulb rot) <i>Scelerotinia</i> spp (Crown rot)	1. In furrow spray-use 2gms per metre of row. Mix well with soil and irrigate. 2. Soil incorporation- use 2-4gms/m ² with high water volume. Subsequent irrigation helps in distribution.
	<i>Rhizoctonia</i> spp (Damping off)	3. Bulb powdering—Use 50 to 100gms of active ingredient per 100gms of bulb, 4. Bulb dipping—Prepare a 2% solution by mixing 20gms of the product with every 1000lts of water. Ensure complete emersion of the bulbs.

PHYTOTOXICITY

Rizolex® 50WP is not phytotoxic when used as recommended.

HANDLING PRECAUTION

- Rizolex® 50WP is harmful to human beings if swallowed . It is irritating to the eyes.
- Do not smoke, drink or eat while using this product.
- Avoid eye contact. Wear safety goggles when handling the product.
- Avoid spray mist and exposure to the product. Wear rubber gloves and mask covering nose and mouth. Wear protective clothing such as longsleeved shirts, long pants and rubber boots when handling the product.
- After application wash yourself and your work clothes.

DISPOSAL

Surplus product, if unused should be disposed off according to national regulations on chemical disposal on a landfill site approved for pesticides in a safe place away from water sources. Do not use empty container for any other purpose. Empty containers are to be triple rinsed, flattened, perforated and disposed off on a landfill site in a safe place away from water sources in accordance with national regulations on chemical disposal.

SPILLAGE AND LEAKAGE

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations. Spilt product must not be re-used.

ENVIRONMENT AND WILDLIFE

Rizolex® 50WP has considerate short persistence in the environment. It has no adverse effect to beneficial organisms . However do not contaminate water sources and supplies by disposal of product waste. Keep livestock out of treated areas.

FIRST AID INSTRUCTIONS

In case of eye contact: Flush the eyes with running water for at least 15 minutes while holding eyelids open to help flush out material. Contact a physician immediately.

In case of skin contact: Wash contaminated skin with soap and plenty of water. Remove contaminated clothing. If skin irritation persists, contact a physician immediately.

Ingestion: Rinse mouth. Never induce vomiting in unconscious or confused person. Contact a physician immediately.

Inhalation: move the patient to fresh air. Consult a physician immediately

In case of an emergency, call Toll free Nos.: 0800720021 and 0800730030 (24hrs)

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: Symptoms of poisoning may include respiratory difficulty, nausea and general body weakness.

Antidote : No specific antidote is known.

Notes to the physician: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe condition.

WARRANTY: Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO

Rizolex® 50WP ni dawa inayotokana kuzua magonjwa yanayopatikaga kwa mchanga na ambayo uharibu "Lilles". Magonjwa yanayotokana na Rizolex® 50WP ni yale yanayotokana na "Rhizoctonia spp" kama vile "Grey bulb rot" na pia "dumping off" kwa "Lilles". Rizolex® 50WP pia huzua magonjwa yanayotokana na "Scelerotinia spp" kama "crown rot" katika mafaa aina ya "Lilles".

JINSI INAYYOFANYA KAZI

Rizolex® 50WP ni dawa inayofanya kazi wakati chembechembe zake zingusana na chembechembe zinazosababisha magonjwa.Ni dawa ambayo ina uwemo wa kuzua na kuponya magonjwa .

MAELEZO YA MATUMIZI

Rizolex® 50WP inatumika kwa kuweka kwa mchanga kama imechanganywa na maji kupaka kwenye mbegu kabla ya kupanda,ama kwa kuwesha mbegu kwa dawa kabla ya kupanda

Aina ya mmea	Magonjwa	Jinsi ya kutumia na Viwango ya kutumia
'Lilles'	<i>Rhizoctonia</i> spp(grey bulb rot) <i>Scelerotinia</i> spp (Crown rot)	1. Katika mistari ya kupanda: Tumia gramu 1 ama 2 kwa kila mita 1 ya mstari. Fuatisha na kumwagilia maji
	<i>Rhizoctonia</i> spp (Crown rot)	2. kuwesha udongo: Tumia gramu 2 mpaka 4 kwa kila mita miraba uitukima nozeli yenye tundu pana ndio dawa inyie vizuri udongo. Dawa usiyileyeswa sana ilii kawaa nypesi ya kutawanyanya oyoo. Umwagilaji wa haraka wa maji usaidia kueneza dawa.
	<i>Rhizoctonia</i> spp (Damping off)	3. Kupaka dawa katika mbegu- Tumia gramu 50 hadi gramu 100 kwa kila kilo minja moja ya mbegu.
		4. Kupaka shina za mimea: Tengenezwa dawa majimaji kwa asilimia 2.0. Kwa mfano gramu 20 katika kila lita 1000 za maji. Hanakishe shina zimepata dawa sawasawa ndipo itatolewa kinga kamili.

TAHADHARI WAKATI WA MATUMIZI

- Usiyile sigara, usiyewe, waala usile wakati unatumia dawa hili.
- Chunga isilinge machoni. Vaa miwani ya kulingka macho unapotumia dawa hili.
- Hepukana na mvuke wa dawa hili, na kujiweka wazi kwenye dawa. Vaa glov za mikono za kujiweca, vaa kifuriko cha pua na mdomo. Vaa nguo za kujikilenga kama shati la mikono mirefu, sunuli ndefu na gambuti za raba unapotu mia dawa hili.
- Baada ya kutumia dawa hil oiga mwili na ushos nguo zako za kazi.

KUHFADHI

Hifadhi ndani ya chombo chake halisi kilichofungwa vizuri mbali na watoto, chakula, vinyajali na chakula cha milugo. Hifadhi dawa hili mahali bardii, pakavu na nanopipitisha hewa safi, na palpo fungwa na kufuli. Hepuka kuweka kwenye mwangaza mikili wa jua. Ikiwa RIZOLEX® ihaftihadiwa katika hili muda wake wa kudumu ni mikili 2.

KUTUPA

Dawa ya ziada kama haikutumika itupwe kwenye jaa ilioidhinishwa la kutupa madawa ya sumu ya kuangamiza waduu wahanribu, ama izikwa mahali salama mbali na vyando yae maji. Usiyile chombo kilichokwisha dawa kwa matumizi mengine yoyote. Ondoo dawa yote kwenye vyombo viliviyokwsisha dawa na kishii visiwe kwa maji mali na tundu pana na kufurudhewa. Tupa vyombo hivi kwenye jaa la kutupa takatakwa za sumu ilioidhinishwa sahili salama mbali na vyando yae maji.

IKIMWAGIKA AMA IKUVUA:

Ikiwajipika: Inyonye kwa kuimwagiza mchanga, unga wa mbao, udongo au kifaa cha kusanya, Kusanya kwa makini vitu vilivyo ingia dawa na uvizice pahali salama ana tupa ndani ya pipa au mifuko ya plastiki, weka alama na utupe ndani ya shimo la kutupa madawa ya sumu ilioidhinishwa kisheria, Safisha kwa maji eneo iliomwagikia na dawa.

MAZINGIRA NA MBUGA ZA WANYAMA

Dawa habukali kwa muda mifupi sana katika mazingira. Haina madhara kwa wanyama wenye faida, Usiachifie nija za maji kwa kutupu ndani uchafu wa dawa. Weka mifugo na maeneo ya tylekweka.

MAEGIZO YA HUDUMA YA KWANZA

Rizolex® ni sumu ikwaa ilamezwa na kuvutwa ndani. Kama unashuku kuadhiriwa na sumu, ita daktari mara moja.

Ikiwa imengia ndani ya macho: Osha macho na maji mengi kwa angalau dakika 15.

Ikiwa mwasho illo Ingia dawa kwa sabuni na maji mengi. Toa nguo zilizomwagikia na dawa. Ikiwa mwasho wa ngizo utaaendelea, onana na daktari mara moja.

Ikiwaa: Usitapishiesi wala kumlisha chohote ikiwa mgonjwa amepoteza fahamu. Mwone daktari.

Ikipumulika: Mwewe mgonjwa kwenye hewa safi, Wasiliana na daktari mara moja.

MAELEZO YA SUMU

Dakika: Hakuna daki maalum, Dawa ya kuvunywa nguo za sumu : Hakuna dawa maalum inayojukilana ya kuvunywa za sumu hili.

Maelezo kwa daktari: Tibu kulingana na vle anayojisikia.

Piga simu bila malipo wakati wa dharura : 0800720021 ama 0800730030 (masaa 24)

ILANI KWA MTUMIAJI:Dawa hili ni sharti itumiwe kulingana na maegizo yaliyo kwenye kibandiko. Ni hatia chini ya sharti za madawa kutumia au kuhifadhi dawa hili katika hili isiyi salama,

THIBITISHO: Dhamana ya muuuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima ya tufaa kikamilifu. Mnunzi lazima akubali hatari zozote zinazowezza kutokana na matumizi ya dawa hili kwa binadamu au mali na lazima aikubali dawa hili katika hili.

READ THE LABEL BEFORE USING (SOMA MAELEZO KABLA HUJATUMIA)

RIZOLEX® 50WP

Fungicide for the control of soil borne fungal diseases including Rhizoctonia in Lilies.

Dawa ya kuzuia magonjwa ya udongo ikiwa ni pamoja na "Rhizoctonia" katika "Lilies".

COMMERCIAL AND AGRICULTURAL CLASS (SEHEMU YA BIASHARA NA KILIMO)
KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

REGISTRATION NO.: PCPB(CR) 0640
(NAMBARINI YA USAJILI)

GUARANTEE: 500gms tolcofos - methyl per kg



Flammable/
Yawea kuwaka



SHELF LIFE: 2 years from date of manufacture when stored in an original, unopened container in a cool dry well ventilated place.

MUDA RAFUNI: Miaka miwili baada ya tarehe ya kutengenezwa ikihifadhiwa kwenye pakiti yake halisi usiofunguliwa na iliowekwa pahali pakavu na penye baridi.

In case of an emergency, call Toll free Nos.: 0800720021 and 0800730030 (24hrs /masaa 24)
(Piga simu isiyo na malipo wakati wa dharura)

Rizolex® is a registered trade mark of Sumitomo Chemical Co LTD, OSAKA, JAPAN

Net Content (Kiasi kamili): 1kg



MANUFACTURER
(MTENGENEZAJI):
Sumitomo Chemical Co LTD,
OSAKA, JAPAN

DISTRIBUTOR (MSAMBАЗАJI) IN KENYA
TWIGA CHEMICAL INDUSTRIES LTD.
P.O. BOX 30172, 00100 GPO, NAIROBI, KENYA
TEL: 3942000 , FAX:- 3942405



CAUTION (ILANI)

